

32-220 Adjustment of front springs

Adjustment of front springs (association front springs – rubber mounts)

Model	Front springs Part no.	Height of spring-rubber mounts depending on vehicle equipment ¹⁾ and color code of spring									
		None		1		Special equipment 2		3		4	
		blue	red	blue	red	blue	red	blue	red	blue	red

A. Sedans and coupes with standard suspension

Vehicles without air-conditioning

123.020 ²⁾	123 321 37 04	13	18	18	23	18	23	–	–	–	–
	123 321 39 04	–	–	–	–	–	–	8	13	13	18
123.023 ²⁾	123 321 37 04	13	18	18	23	–	–	–	–	–	–
	123 321 39 04	–	–	–	–	8	13	13	18	18	23
123.026	123 321 21 04	8	13	13	18	18	23	18	23	–	–
123.030	123 321 21 04	18	23	–	–	–	–	–	–	–	–
	123 321 27 04	–	–	8	13	13	18	18	23	–	–
123.043	123 321 39 04	8	13	8	13	13	18	18	23	–	–
123.050 123.053	123 321 21 04	18	23	–	–	–	–	–	–	–	–
	123 321 27 04	–	–	8	13	8	13	13	18	–	–
123.120 ³⁾	123 321 39 04	13	18	13	18	18	23	–	–	–	–
	123 321 27 04	–	–	–	–	–	–	8	13	–	–
123.123 ³⁾	123 321 39 04	13	18	18	23	18	23	–	–	–	–
	123 321 27 04	–	–	–	–	–	–	8	13	–	–
123.126 ²⁾	123 321 39 04	8	13	13	18	18	23	18	23	–	–
	123 321 27 04	–	–	–	–	–	–	–	–	8	13
123.130	123 321 27 04	8	13	13	18	13	18	18	23	–	–
123.220 ³⁾	123 321 37 04	13	18	18	23	–	–	–	–	–	–
	123 321 39 04	–	–	–	–	8	13	13	18	–	–
123.223 ³⁾	123 321 37 04	18	23	–	–	–	–	–	–	–	–
	123 321 39 04	–	–	8	13	8	13	13	18	–	–
123.243	123 321 37 04	13	18	18	23	–	–	–	–	–	–
	123 321 39 04	–	–	–	–	8	13	13	18	–	–

¹⁾ Special equipment: Sliding roof, automatic transmission, supplementary heater, police equipment.

²⁾ Power steering taken into account as special equipment.

³⁾ On vehicles without power steering (up to August 1982) use front spring-rubber mount one installation stage lower.

Adjustment of front springs (association front springs – rubber mounts)

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment ¹⁾ and color code of spring									
		Special equipment									
		None		1		2		3		4	
		Color code of spring		Color code of spring		Color code of spring		Color code of spring		Color code of spring	
		blue	red	blue	red	blue	red	blue	red	blue	red

Sedans and coupes with standard suspension

Vehicles with air-conditioning

123.020 ²⁾	123 321 39 04	8	13	8	13	13	18	18	23	–	–
	123 321 27 04	–	–	–	–	–	–	–	–	8	13
123.023 ²⁾	123 321 39 04	8	13	13	18	18	23	–	–	–	–
	123 321 27 04	–	–	–	–	–	–	8	13	8	13
123.026 ²⁾	123 321 21 04	18	23	18	23	–	–	–	–	–	–
	123 321 27 04	–	–	–	–	8	13	13	18	–	–
123.030 123.033	123 321 27 04	13	18	18	23	18	23	–	–	–	–
	123 321 36 04	–	–	–	–	–	–	8	13	–	–
123.043	123 321 39 04	13	18	18	23	–	–	–	–	–	–
	123 321 27 04	–	–	–	–	8	13	8	13	–	–
123.050	123 321 27 04	13	18	18	23	18	23	–	–	–	–
	123 321 36 04	–	–	–	–	–	–	8	13	–	–
123.053	123 321 27 04	8	13	13	18	18	23	–	–	–	–
	123 321 36 04	–	–	–	–	–	–	8	13	–	–
123.120 ³⁾	123 321 39 04	18	23	–	–	–	–	–	–	–	–
	123 321 27 04	–	–	8	13	13	18	18	23	–	–
123.123 ³⁾ 123.126	123 321 27 04	8	13	8	13	13	18	18	23	–	–
123.130	123 321 27 04	18	23	18	23	–	–	–	–	–	–
	123 321 36 04	–	–	–	–	8	13	13	18	–	–
123.220 ³⁾	123 321 39 04	8	13	13	18	18	23	18	23	–	–
123.223 ³⁾	123 321 39 04	8	13	13	18	18	23	–	–	–	–
	123 321 27 04	–	–	–	–	–	–	8	13	–	–
123.243	123 321 39 04	8	13	13	18	18	23	–	–	–	–
	123 321 27 04	–	–	–	–	–	–	8	13	–	–

¹⁾ Special equipment: Sliding roof, automatic transmission, supplementary heater, police equipment.

²⁾ Power steering taken into account as special equipment.

³⁾ On vehicles without power steering (up to August 1982) use front spring-rubber mount one installation stage lower.

Adjustment of front springs (association front springs -- rubber mounts)

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment ¹⁾ and color code of spring							
		None				Special equipment			
		1		2		3		Color code of spring	
blue	red	blue	red	blue	red	blue	red	blue	red

Sedans, police version, with standard suspension

 Vehicles **without** air-conditioning

123.026	123 321 21 04	18	23	18	23	—	—	—	—
	123 321 27 04	—	—	—	—	8	13	13	18
123.033	123 321 27 04	13	18	18	23	18	23	—	—
	123 321 36 04	—	—	—	—	—	—	8	13
123.120	123 321 39 04	18	23	18	23	—	—	—	—
	123 321 27 04	—	—	—	—	8	13	13	18
123.123	123 321 39 04	18	23	—	—	—	—	—	—
	123 321 27 04	—	—	8	13	8	13	13	18
123.130	123 321 27 04	13	18	18	23	18	23	—	—
	123 321 36 04	—	—	—	—	—	—	8	13
123.220	123 321 39 04	8	13	13	18	18	23	18	23
123.223	123 321 39 04	8	13	13	18	18	23	—	—
	123 321 27 04	—	—	—	—	—	—	8	13

 Vehicles **with** air-conditioning

123.026	123 321 27 04	8	13	13	18	18	23	—	—
	123 321 36 04	—	—	—	—	—	—	8	13
123.033	123 321 36 04	8	13	8	13	13	18	18	23
123.120	123 321 27 04	8	13	13	18	18	23	—	—
	123 321 36 04	—	—	—	—	—	—	8	13
123.123	123 321 27 04	13	18	13	18	18	23	—	—
	123 321 36 04	—	—	—	—	—	—	8	13
123.130	123 321 36 04	8	13	8	13	13	18	18	23
123.220 123.223	123 321 39 04	18	23	—	—	—	—	—	—
	123 321 27 04	—	—	8	13	8	13	13	18

¹⁾ Special equipment: Slide roof, automatic transmission, ABS, supplementary heater.

Adjustment of front springs (association front springs – rubber mounts)

Model	Front springs Part no.	Height of spring-rubber mounts depending on vehicle equipment ¹⁾ and color code of spring									
		Special equipment									
		None		1		2		3		4	
		Color code of spring		Color code of spring		Color code of spring		Color code of spring		Color code of spring	
		blue	red	blue	red	blue	red	blue	red	blue	red

T-sedans, police version, with standard suspension

 Vehicles **without** air-conditioning

123.093	123 321 27 04	8	13	13	18	13	18	18	23	–	–
	123 321 36 04	–	–	–	–	–	–	–	–	8	13
123.183	123 321 39 04	13	18	18	23	18	23	–	–	–	–
	123 321 27 04	–	–	–	–	–	–	8	13	8	13
123.190	123 321 27 04	8	13	13	18	18	23	18	23	–	–
	123 321 36 04	–	–	–	–	–	–	–	–	8	13
123.193 ²⁾	123 321 27 04	18	23	–	–	–	–	–	–	–	–
	123 321 36 04	–	–	8	13	13	18	13	18	–	–
123.280	123 321 37 04	18	23	–	–	–	–	–	–	–	–
	123 321 39 04	–	–	8	13	13	18	18	23	18	23
123.283	123 321 37 04	18	23	–	–	–	–	–	–	–	–
	123 321 39 04	–	–	8	13	13	18	18	23	–	–
	123 321 27 04	–	–	–	–	–	–	–	–	8	13

 Vehicles **with** air-conditioning

123.093	123 321 27 04	18	23	–	–	–	–	–	–	–	–
	123 321 36 04	–	–	8	13	8	13	13	18	18	23
123.183	123 321 27 04	8	13	8	13	13	18	18	23	–	–
	123 321 36 04	–	–	–	–	–	–	–	–	8	13
123.190	123 321 27 04	18	23	–	–	–	–	–	–	–	–
	123 321 36 04	–	–	8	13	8	13	13	18	18	23
123.193 ²⁾	123 321 36 04	13	18	18	23	18	23	–	–	–	–
	123 321 41 04	–	–	–	–	–	–	8	13	–	–
123.280 123.283	123 321 39 04	13	18	18	23	–	–	–	–	–	–
	123 321 27 04	–	–	–	–	8	13	8	13	13	18

1) Special equipment: Slide roof, automatic transmission, ABS, supplementary heater.

2) Automatic transmission not taken into account as special equipment.

Adjustment of front springs (association front springs – rubber mounts)

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment ¹⁾ and color code of spring									
		None		1		2		3		4	
		blue	red	blue	red	blue	red	blue	red	blue	red

C. T-sedans

Standard version with normal additional load (permissible rear axle load 1150/1155 kg or 1195/1200 kg)

Vehicles without air-conditioning

123.083 ²⁾	123 321 37 04	18	23	18	23	–	–	–	–	–	–
	123 321 39 04	–	–	–	–	8	13	13	18	18	23
123.086	123 321 21 04	8	13	13	18	18	23	18	23	–	–
123.093	123 321 21 04	18	23	18	23	–	–	–	–	–	–
	123 321 27 04	–	–	–	–	8	13	13	18	13	18
123.183 ³⁾	123 321 39 04	8	13	8	13	13	18	18	23	–	–
	123 321 27 04	–	–	–	–	–	–	–	–	8	13
123.190	123 321 39 04	18	23	–	–	–	–	–	–	–	–
	123 321 27 04	–	–	8	13	8	13	13	18	18	23
123.193 ⁴⁾	123 321 27 04	13	18	18	23	–	–	–	–	–	–
	123 321 36 04	–	–	–	–	8	13	8	13	–	–
123.280 ³⁾	123 321 37 04	8	13	13	18	18	23	–	–	–	–
	123 321 39 04	–	–	–	–	–	–	8	13	13	18
123.283 ³⁾	123 321 37 04	13	18	18	23	18	23	–	–	–	–
	123 321 39 04	–	–	–	–	–	–	8	13	13	18

Vehicles with air-conditioning

123.083 ²⁾	123 321 39 04	8	13	13	18	18	23	–	–	–	–
	123 321 27 04	–	–	–	–	–	–	8	13	8	13
123.086	123 321 21 04	18	23	–	–	–	–	–	–	–	–
	123 321 27 04	–	–	8	13	8	13	13	18	–	–
123.093	123 321 27 04	8	13	13	18	18	23	18	23	–	–
	123 321 36 04	–	–	–	–	–	–	–	–	8	13
123.183 ³⁾	123 321 39 04	18	23	18	23	–	–	–	–	–	–
	123 321 27 04	–	–	–	–	8	13	13	18	13	18
123.190	123 321 27 04	13	18	13	18	18	23	–	–	–	–
	123 321 36 04	–	–	–	–	–	–	8	13	13	18
123.193 ⁴⁾	123 321 36 04	8	13	13	18	13	18	18	23	–	–
123.280 ³⁾	123 321 39 04	8	13	8	13	13	18	18	23	–	–
123.283 ³⁾	123 321 39 04	8	13	8	13	13	18	18	23	–	–
	123 321 27 04	–	–	–	–	–	–	–	–	8	13

1) Special equipment: Sliding roof, ABS, automatic transmission, supplementary heater.

2) Power steering taken into account as special equipment.

3) On vehicles without power steering (up to August 1982) use front spring-rubber mount one installation stage lower.

4) Automatic transmission not taken into account as special equipment.

Adjustment of front springs (association front springs – rubber mounts)

Model	Front springs Part no.	Height of spring-rubber mounts depending on vehicle equipment ¹⁾ and color code of spring									
		Special equipment									
		None		1		2		3		4	
		Color code of spring		Color code of spring		Color code of spring		Color code of spring		Color code of spring	
		blue	red	blue	red	blue	red	blue	red	blue	red

Special version with higher additional load (permissible rear axle load 1295/1300 kg)
Vehicles without air-conditioning

123.083 ²⁾	123 321 21 04	13	18	18	23	18	23	–	–	–	–
	123 321 27 04	–	–	–	–	–	–	8	13	13	18
123.086	123 321 27 04	8	13	8	13	13	18	18	23	–	–
123.183	123 321 39 04	13	18	18	23	–	–	–	–	–	–
	123 321 27 04	–	–	–	–	8	13	13	18	–	–
123.190	123 321 27 04	13	18	18	23	18	23	–	–	–	–
	123 321 36 04	–	–	–	–	–	–	8	13	13	18
123.193 ⁴⁾	123 321 36 04	8	13	13	18	18	23	18	23	–	–
123.280 ³⁾	123 321 37 04	18	23	–	–	–	–	–	–	–	–
	123 321 39 04	–	–	8	13	13	18	18	23	18	23
123.283 ³⁾	123 321 39 04	8	13	8	13	13	18	18	23	–	–
	123 321 27 04	–	–	–	–	–	–	–	–	8	13

Vehicles with air-conditioning

123.083 ²⁾	123 321 21 04	18	23	–	–	–	–	–	–	–	–
	123 321 27 04	–	–	8	13	13	18	18	23	18	23
123.086	123 321 27 04	8	13	13	18	18	23	–	–	–	–
	123 321 36 04	–	–	–	–	–	–	8	13	–	–
123.183 ³⁾	123 321 27 04	8	13	13	18	18	23	–	–	–	–
	123 321 36 04	–	–	–	–	–	–	8	13	13	18
123.190	123 321 36 04	8	13	13	18	18	23	18	23	18	23
123.193 ⁴⁾	123 321 36 04	18	23	18	23	–	–	–	–	–	–
	123 321 41 04	–	–	–	–	8	13	13	18	–	–
123.280 ³⁾	123 321 39 04	13	18	18	23	–	–	–	–	–	–
	123 321 27 04	–	–	–	–	8	13	8	13	13	18
123.283 ³⁾	123 321 39 04	13	18	18	23	–	–	–	–	–	–
	123 321 27 04	–	–	–	–	8	13	13	18	13	18

1) Special equipment: Sliding roof, automatic transmission, ABS, supplementary heater.

2) Power steering taken into account as special equipment.

3) On vehicles without power steering (up to August 1982) use front spring-rubber mount one installation stage lower.

4) Automatic transmission not taken into account as special equipment.

Adjustment of front springs (association front springs – rubber mounts)

Model	Front springs Part no.	Height of spring-rubber mounts depending on vehicle equipment ¹⁾ and color code of spring									
		Special equipment									
		None		1		2		3		4	
Color code of spring											
		blue	red	blue	red	blue	red	blue	red	blue	red

Special version with normal additional load and harder suspension for countries with poor road conditions
(permissible rear axle load 1150/1155 kg or 1195/1200 kg)

Vehicles **without** air-conditioning

123.083 ²⁾	123 321 39 04	8	13	13	18	18	23	–	–	–	–
	123 321 27 04	–	–	–	–	–	–	8	13	8	13
123.086	123 321 21 04	18	23	–	–	–	–	–	–	–	–
	123 321 27 04	–	–	8	13	8	13	13	18	–	–
123.093	123 321 27 04	8	13	13	18	13	18	18	23	–	–
	123 321 36 04	–	–	–	–	–	–	–	–	8	13
123.183 ³⁾	123 321 39 04	13	18	18	23	–	–	–	–	–	–
	123 321 27 04	–	–	–	–	8	13	13	18	13	18
123.190	123 321 27 04	8	13	13	18	18	23	–	–	–	–
	123 321 36 04	–	–	–	–	–	–	9	13	13	18
123.193 ⁴⁾	123 321 36 04	8	13	13	18	13	18	18	23	–	–
123.280 123.283	123 321 39 04	18	23	–	–	–	–	–	–	–	–
	123 321 27 04	–	–	8	13	13	18	18	23	18	23

1) Special equipment: Sliding roof, automatic transmission, ABS, supplementary heater.

2) Power steering taken into account as special equipment.

3) On vehicles without power steering (up to August 1982) use front spring-rubber mount one installation stage lower.

4) Automatic transmission not taken into account as special equipment.

Adjustment of front springs (association front springs – rubber mounts)

Model	Front springs Part no.	Height of spring-rubber mounts depending on vehicle equipment ¹⁾ and color code of spring									
		Special equipment									
		None		1		2		3		4	
		Color code of spring		Color code of spring		Color code of spring		Color code of spring		Color code of spring	
		blue	red	blue	red	blue	red	blue	red	blue	red

**Special version with normal additional load and harder suspension for countries with poor road conditions
(permissible rear axle load 1150/1155 kg or 1195/1200 kg)**

Vehicles with air-conditioning

123.083 ²⁾	123 321 39 04	18	23	–	–	–	–	–	–	–	–
	123 321 27 04	–	–	8	13	13	18	13	18	18	23
123.086	123 321 27 04	8	13	13	18	18	23	–	–	–	–
	123 321 36 04	–	–	–	–	–	–	8	13	–	–
123.093	123 321 27 04	18	23	–	–	–	–	–	–	–	–
	123 321 36 04	–	–	8	13	8	13	13	18	18	23
123.183 ³⁾	123 321 27 04	8	13	13	18	18	23	18	23	–	–
	123 321 36 04	–	–	–	–	–	–	–	–	8	13
123.190	123 321 27 04	18	23	–	–	–	–	–	–	–	–
	123 321 36 04	–	–	8	13	13	18	18	23	18	23
123.193 ⁴⁾	123 321 36 04	18	23	18	23	–	–	–	–	–	–
	123 321 41 04	–	–	–	–	8	13	8	13	–	–
123.280 ³⁾	123 321 39 04	18	23	18	23	18	23	–	–	–	–
	123 321 27 04	–	–	–	–	–	–	8	13	13	18
123.283 ³⁾	123 321 39 04	13	18	18	23	–	–	–	–	–	–
	123 321 27 04	–	–	–	–	8	13	8	13	13	18

¹⁾ Special equipment: Sliding roof, automatic transmission, ABS, supplementary heater.

²⁾ Power steering taken into account as special equipment.

³⁾ On vehicles without power steering (up to August 1982) use front spring-rubber mount one installation stage lower.

⁴⁾ Automatic transmission not taken into account as special equipment.

G. National versions

Adjustment of front springs (association front springs – rubber mounts) (J) starting 1981

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment ¹⁾ and color code of spring					
		None		Special equipment			
		blue	red	1	2	blue	red
Vehicles with air-conditioning							
123.023	123 321 27 04	8	13	8	13	–	–
123.033 123.053	123 321 36 04	8	13	13	18	–	–
123.093	123 321 27 04	18	23	18	23	–	–
123.123	123 321 27 04	8	13	13	18	13	18
123.130	123 321 27 04	18	23	–	–	–	–
	123 321 36 04	–	–	8	13	–	–
123.190	123 321 36 04	8	13	13	18	–	–
123.223	123 321 39 04	18	23	–	–	–	–
	123 321 27 04	18	23	8	13	–	–

¹⁾ Special equipment: Sliding roof, on model 123.123 automatic transmission.

Adjustment of front springs (association front springs – rubber mounts) (J) starting 1983

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment ¹⁾ and color code of spring			
		None		Special equipment	
		blue	red	1	red
Vehicles without air-conditioning					
123.033	123 321 36 04	8	13	13	18
123.053	123 321 27 04	18	23	–	–
	123 321 36 04	–	–	8	13
123.123	123 321 27 04	13	18	18	23
123.130	123 321 36 04	8	13	8	13
123.133	123 321 36 04	18	23	18	23
123.193	123 321 36 04	18	23	18	23
123.223	123 321 39 04	18	23	–	–
	123 321 27 04	–	–	8	13

¹⁾ Special equipment: Sliding roof

Adjustment of front springs (association front springs – rubber mounts) (AUS) 1981

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment ¹⁾ and color code of spring					
		None		Special equipment			
		blue	red	1	2	blue	red
Vehicles with air-conditioning							
123.023	123 321 27 04	8	13	8	13	–	–
123.033 123.053	123 321 36 04	8	13	13	18	–	–
123.093	123 321 27 04	18	23	18	23	–	–
123.123	123 321 27 04	8	13	13	18	13	18
123.130	123 321 27 04	18	23	–	–	–	–
	123 321 36 04	–	–	8	13	–	–
123.190	123 321 36 04	8	13	13	18	–	–
123.223	123 321 39 04	18	23	–	–	–	–
	123 321 27 04	–	–	8	13	–	–

¹⁾ Special equipment: Sliding roof, on model 123.123 automatic transmission.

Adjustment of front springs (association front springs – rubber mounts) (AUS) starting 1982

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment ¹⁾ and color code of spring			
		None		Special equipment	
		blue	red	1	red
Vehicles with air-conditioning					
123.033	123 321 36 04	8	13	13	18
123.053	123 321 36 04	8	13	8	13
123.093	123 321 36 04	13	18	18	23
123.130	123 321 27 04	18	23	–	–
	123 321 36 04	–	–	8	13
123.190	123 321 36 04	13	18	13	18
123.223	123 321 39 04	18	23	–	–
	123 321 27 04	–	–	8	13
123.283 ²⁾	123 321 39 04	13	18	18	23

¹⁾ Special equipment: Sliding roof.

²⁾ Starting model year 1984.

Adjustment of front springs (association front springs – rubber mounts) (USA) 1979

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment and color code of spring											
		Special equipment											
		None		1		2		3		4			
Color code of spring													
blue		red		blue		red		blue		red			

Vehicles without air-conditioning

123.023	123 321 39 04	–	–	–	–	18	23	–	–	–	–
	123 321 27 04	–	–	–	–	–	–	8	13	13	18
123.123	123 321 27 04	8	13	8	13	13	18	13	18	18	23

Vehicles with air-conditioning

123.023	123 321 27 04	–	–	–	–	8	13	13	18	18	23
123.033	123 321 36 04	–	–	–	–	13	18	18	23	18	23
123.053	123 321 36 04	–	–	–	–	13	18	18	23	18	23
123.123	123 321 27 04	13	18	18	23	18	23	18	23	18	23
123.130	123 321 36 04	–	–	–	–	13	18	18	23	18	23
123.150	123 321 36 04	–	–	–	–	13	18	18	23	18	23
123.190	123 321 36 04	–	–	–	–	13	18	13	18	18	23

Adjustment of front springs (association front springs – rubber mounts) (USA) 1980

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment and color code of spring									
		Special equipment ¹⁾									
		None		1		2					
Color code of spring											
blue		red		blue		red		blue		red	

Vehicle without air-conditioning

123.123	123 321 39 04	18	23	–	–	–	–
	123 321 27 04	–	–	8	13	8	13

Vehicles with air-conditioning

123.033	123 321 36 04	8	13	13	18	–	–
123.053	123 321 36 04	8	13	8	13	–	–
123.123	123 321 27 04	8	13	13	18	13	18
123.130	123 321 36 04	8	13	8	13	–	–
123.150	123 321 27 04	18	23	–	–	–	–
	123 321 36 04	–	–	8	13	–	–
123.190	123 321 27 04	18	23	18	23	–	–

¹⁾ Special equipment: Sliding roof, automatic transmission (model 123.123 only).

Adjustment of front springs (association front springs – rubber mounts) (USA) 1981

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment ¹⁾ and color code of spring					
		Special equipment					
		None		1		2	
Color code of spring							
		blue	red	blue	red	blue	red
Vehicles without air-conditioning							
123.123	123 321 27 04	8	13	8	13	13	18
Vehicles with air-conditioning							
123.123	123 321 27 04	13	18	18	23	–	–
	123 321 36 04	–	–	–	–	8	13
Vehicles with automatic climate control							
123.033 123.053 123.130	123 321 36 04	13	18	18	23	–	–
123.150	123 321 36 04	13	18	13	18	–	–
123.193	123 321 41 04	8	13	8	13	–	–
126.033	126 321 17 04	13	18	18	23	–	–
126.120	126 321 18 04	8	13	8	13	–	–

¹⁾ Special equipment: Sliding roof, on model 123.123 automatic transmission.

Adjustment of front springs (association front springs – rubber mounts) (USA) starting 1982

Model	Front spring Part no.	Height of spring-rubber mounts depending on vehicle equipment ¹⁾ and color code of spring					
		Special equipment					
		None		1		2	
Color code of spring							
		blue	red	blue	red	blue	red
Vehicles without air-conditioning							
123.123	123 321 27 04	8	13	8	13	13	18
Vehicles with air-conditioning							
123.123	123 321 27 04	13	18	18	23	–	–
Vehicles with automatic climate control							
123.123	114 321 36 04	18	23	–	–	–	–
	123 321 41 04	–	–	8	13	–	–
123.153	123 321 36 04	18	23	18	23	–	–
123.193	123 321 41 04	18	23	18	23	–	–

¹⁾ Special equipment: Sliding roof, on model 123.123 automatic transmission.