

B. Models 114, 115 standard version

Adjustment of front springs (association front springs -- rubber mounts)

Model	Front spring Part no.	Height of spring rubber mounts according to vehicle equipment (slide roof, power steering, automatic transmission, air-conditioning) and color code of spring									
		Special equipment									
		None		1		2		3 or air conditioning system		1-3 and air conditioning system	
		Color code of spring									
		blue	red	blue	red	blue	red	blue	red	blue	red

Standard suspension

114.010 114.011 114.021 114.023 115.115	115 321 29 04	18	23	—	—	—	—	—	—	—	—
	114 321 05 04	—	—	8	13	13	18	13	18	23	—
114.015	115 321 29 04	13	18	18	23	—	—	—	—	—	—
	114 321 05 04	—	—	—	—	8	13	13	18	18	23
114.022 115.110 115.117	115 321 29 04	18	23	—	—	—	—	—	—	—	—
	114 321 05 04	—	—	8	13	13	18	18	23	23	—
114.060 ¹⁾ 114.073	114 321 05 04	13	18	13	18	18	23	—	—	—	—
	114 321 09 04	—	—	—	—	—	—	8	13	13	18
114.062 ¹⁾ 114.072	114 321 05 04	13	18	18	23	18	23	—	—	—	—
	114 321 09 04	—	—	—	—	—	—	8	13	13	18
115.010 115.015 115.017	115 321 29 04	13	18	13	18	18	23	18	23	—	—
	114 321 05 04	—	—	—	—	—	—	—	—	13	18
115.114	114 321 05 04	18	23	18	23	—	—	—	—	—	—
	114 321 09 04	—	—	—	—	8	13	13	18	18	23

¹⁾ On righthand drive vehicles install a rubber mount on righthand side of vehicle higher by 5 mm than indicated in table.

Adjustment of front springs (association front springs – rubber mounts)

Model	Front spring Part no.	Height of spring rubber mounts according to vehicle equipment (slide roof, power steering, automatic transmission, air-conditioning and color code of spring)									
		Special equipment									
		None		1		2		3 or air conditioning system		1–3 and air conditioning system	
		Color code of spring		Color code of spring		Color code of spring		Color code of spring		Color code of spring	
		blue	red	blue	red	blue	red	blue	red	blue	red

Special version: Harder suspension for poor road conditions

114.010 114.011 114.021 114.023 115.115	115 321 30 04	13	18	18	23	18	23	–	–	–	–
	114 321 06 04	–	–	–	–	–	–	8	13	13	18
114.015	115 321 30 04	13	18	13	18	18	23	18	23	–	–
	114 321 06 04	–	–	–	–	–	–	–	–	8	13
114.022 115.110 115.117	115 321 30 04	13	18	18	23	–	–	–	–	–	–
	114 321 06 04	–	–	–	–	8	13	8	13	13	18
114.060 ¹⁾ 114.073	114 321 06 04	8	13	8	13	13	18	13	18	–	–
	114 321 07 04	–	–	–	–	–	–	–	–	8	13
114.062 ¹⁾ 114.072	114 321 06 04	8	13	8	13	13	18	18	23	–	–
	114 321 07 04	–	–	–	–	–	–	–	–	8	13
115.010 115.015 115.017	115 321 30 04	8	13	8	13	13	18	13	18	–	–
	114 321 06 04	–	–	–	–	–	–	–	–	8	13
115.114	114 321 06 04	13	18	13	18	18	23	–	–	–	–
	114 321 07 04	–	–	–	–	–	–	8	13	13	18

Special version: Suspension for special sedans with higher permissible rear axle load of 1160 kg, e.g. police radio cars

114.010 114.011 114.015 115.110 115.115 115.117	115 321 30 04	13	18	13	18	18	23	18	23	–	–
	114 321 06 04	–	–	–	–	8	13	8	13	–	–
114.06	114 321 06 04	13	18	18	23	18	23	18	23	–	–
115.010 115.015 115.017	115 321 30 04	8	13	8	13	13	18	13	18	–	–
115.114	114 321 06 04	13	18	13	18	18	23	18	23	–	–
	114 321 07 04	–	–	–	–	–	–	8	13	–	–

¹⁾ On righthand drive vehicles install a rubber mount on righthand side of vehicle higher by 5 mm than indicated in table.

Adjustment of front springs (association front springs – rubber mounts)

Model	Front spring Part no.	Height of spring rubber mounts according to vehicle equipment (slide roof, power steering, automatic transmission, air-conditioning) and color code of spring									
		Special equipment									
		None		1		2		3 or air conditioning system		1-3 and air condition-system	
Color code of spring											
blue		red		blue		red		blue		red	

Special version: Springs for special sedans with longer wheel base 3400 mm

114.017	114 321 06 04	18	23	–	–	–	–	–	–	–	–
	114 321 07 04	–	–	8	13	8	13	13	18	18	23
115.112 115.119	114 321 07 04	8	13	8	13	13	18	18	23	23	–

Special version: Suspension for special sedans with longer wheel base 3400 mm

114.005 114.007	115 321 30 04	13	18	13	18	18	23	18	23	–	–
115.100 115.105	115 321 30 04	18	23	18	23	–	–	–	–	–	–
	114 321 06 04	–	–	–	–	8	13	–	–	–	–
115.102 115.107	115 321 30 04	13	18	18	23	–	–	–	–	–	–
	114 321 06 04	–	–	–	–	8	13	8	13	–	–
115.000 115.005	115 321 30 04	8	13	13	18	13	18	–	–	–	–
115.002	115 321 30 04	8	13	8	13	13	18	13	18	–	–

Special version: Springs for ambulances with longer wheel base 3400 mm

114.008	114 321 07 04	8	13	8	13	13	18	–	–	–	–
115.103 115.108	114 321 07 04	8	13	13	18	13	18	–	–	–	–

C. Model 107, 114, 115 national versions

Adjustment of front springs (association front springs – rubber mounts)

Model	Part No.	Height of spring rubber mounts depending on vehicle equipment and color code of spring	
		Color code of spring	
		blue	red

(AUS) 1981

107.045	114 321 05 04	13	18
---------	---------------	----	----

(AUS) 1982

107.045	114 321 05 04	18	23
---------	---------------	----	----

(J) 1981

107.025	114 321 05 04	13	18
107.045	114 321 05 04	8	13

(J) 1982

107.045	114 321 05 04	13	18
---------	---------------	----	----

Adjustment of front springs (USA) 1974

Model	Part No.	Height of spring rubber mounts depending on vehicle equipment and color code of spring					
		Power steering and automatic transmission and air conditioning system		Power steering and automatic transmission and air conditioning system and sliding roof or supplementary heater		Power steering and automatic transmission and air conditioning system and sliding roof and supplementary heater	
		Color code of spring		Color code of spring		Color code of spring	
		blue	red	blue	red	blue	red
107.024	114 321 07 04	8	13	8	13	13	18
107.044	114 321 06 04	18	23	–	–	–	–

Adjustment of front springs

USA

1974 to end of series

Model	Part No.	Height of spring rubber mounts depending on vehicle equipment and color code of spring									
		Power steering		Power steering and automatic transmission or sliding roof		Power steering and automatic transmission or sliding roof or air conditioning system		Power steering and automatic transmission or sliding roof and air conditioning system		Power steering and automatic transmission and sliding roof and air conditioning system	
		blue	red	blue	red	blue	red	blue	red	blue	red
114.060	115 321 32 04										
114.073		—	—	—	—	—	—	8	13	13	18
115.114										8	13
115.117	114 321 05 04	18	23	18	23	—	—	—	—	—	—
	114 321 09 04	—	—	—	—	8	13	13	18	13	18
115.017	114 321 05 04	—	—	13	18	18	23	—	—	—	—
	114 321 09 04	—	—	—	—	—	—	8	13	8	13


Adjustment of front springs **USA 1981/1982**

Model	Front spring Part No.	Height of spring rubber mounts depending on vehicle equipment (sliding roof) and color code of spring			
		No special equipment		One special equipment	
		blue	red	blue	red
Vehicles with automatic climate control					
107.025	114 321 09 04	8	13	8	13
107.045	114 321 05 04	18	23	—	—

Rubber mounts for front springs


1st version

Model 114, 115

Height „a“ mm	Part no.	
8	115 321 32 84	
13	115 321 33 84	
18	115 321 34 84	
23	115 321 35 84	

2nd version

Model 107¹⁾, 114, 115


Height „a“ mm	Part no.	
8	115 321 48 84	
13	115 321 49 84	
18	115 321 50 84	
23	115 321 51 84	

¹⁾ Not for model 107.026

3rd version ¹⁾

Model 107.026 standard

Model 107.022/023/024, 107.04, 114, 115 for repairs

Height „a“ mm	Number of naps (n)	Part no.	
8	1	107 321 02 84	
13	2	107 321 03 84	
18	3	107 321 04 84	
23	4	107 321 05 84	

¹⁾ Version with threads for accurate location on spring and with naps for identifying the various heights.